


UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov



CONFIRMATION NO. 5549

| | | | | | |
|---|---|-------------------------------|--|-----------------------------------|--------------------------------|
| SERIAL NUMBER 10/669,669 | FILING DATE 09/23/2003 RULE | CLASS 340 | GROUP ART UNIT 2636 | ATTORNEY DOCKET NO. BA4-198 | |
| APPLICANTS Larry Runyon, Richland, WA; Wayne M. Gunter, Richland, WA; Ronald W. Gilbert, Gilroy, CA; | | | | | |
| ** CONTINUING DATA ***** This application is a CIP of 09/940,142 08/23/2001 PAT 6,646,550 | | | | | |
| ** FOREIGN APPLICATIONS ***** | | | | | |
| IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** SMALL ENTITY ** ** 12/19/2003 | | | | | |
| <div style="display: flex; justify-content: space-between;"><div>Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no 35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance Verified and Acknowledged</div><div style="text-align: center;"> Examiner's Signature</div></div> | | STATE OR COUNTRY WA | SHEETS DRAWING 13 | TOTAL CLAIMS 54 | INDEPENDENT CLAIMS 8 |
| ADDRESS 021567 WELLS ST. JOHN P.S. 601 W. FIRST AVENUE, SUITE 1300 SPOKANE , WA 99201 | | | | | |
| TITLE Radio frequency security system, method for a building facility or the like, and apparatus and methods for remotely monitoring the status of fire extinguishers | | | | | |
| FILING FEE RECEIVED | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | | <div style="border: 1px solid black; padding: 2px;"><input type="checkbox"/> All Fees</div> <div style="border: 1px solid black; padding: 2px;"><input type="checkbox"/> 1.16 Fees (Filing)</div> <div style="border: 1px solid black; padding: 2px;"><input type="checkbox"/> 1.17 Fees (Processing Ext. of time)</div> | | |